RADIOLOGY REFERRAL FORM - COMMON




Clinic Name:					
Clinic Name: Provider Name:					Report
I IOVINGI I I IIIIG.					Call STAT: (
Appointment					Fax STAT: (
Date: Time: Call patient to schedule Patient will call to schedule					Fax Routine: (
					Additional Report to:
Patient Information					
Date: Referring Provider:					Images
Patient Name: D.OB.:					□ CD ROM
Phone: Interpreter Needed (language):					☐ Web PACS
Height: Weight: Pregnant: □ Yes □ No Allergies:					□ PACS
					☐ Deliver to my office
Clinic History (signs and symptoms REQUIRED)					☐ Send with patient
Signs/Symptoms:					'
Duration: Area:					Insurance Information (Send copy of patient's insurance
Cause (Hx, Trauma, etc.):					card when faxing this referral)
Is this due to an injury? ☐ Yes ☐ No					Insurance(s):
3 / / / / /				,	Claim # (if applicable):
Prior Exams					Pre-Authorization #:
Date:	_ Fa	cility	Location:		
Date:	_ Fa	cility	Location:		
X-RAY				FLUOROSCOPY	ULTRASOUND
☐ Orbits for MRI clearance				☐ Esophagram	☐ Thyroid/Neck
☐ Sinus Limited (Waters)				☐ Upper GI Series	☐ Abdomen- Complete
☐ Sinus Complete				☐ Cystogram	O Elastography
☐ Cervical Spine				☐ Other:	Abdomen- Limited:
■ Shoulder			Bi-lat		☐ Renal
Ribs	L	R	Bi-lat	BONE DENSITOMETRY (DEXA)	☐ AAA Screen (Medicare only- once a lifetime)
Chest		_	D: 1	☐ Pediatric DEXA	AAA follow-up (retroperitoneal, limited)
☐ Chest Decub	L	R	Bi-lat	☐ Spine and Femur	☐ Appendix
☐ Thoracic Spine				☐ Vertebral Fracture Assessment	☐ Pelvic (transabdominal and/or transvaginal as
Abdomen				☐ Other:	needed for diagnostic visualization)
Acute Abdomen Series		Ъ	D: 1 .		☐ Bladder Post-Void Residual ☐ Testicular/Scrotal
☐ Humerous☐ Elbow	L	R R	Bi-lat Bi-lat	BREASTIMAGING	
☐ Lumbar Spine	L	ĸ	DI-Iat	Date of last mammogram:	Hernia, location:
☐ Hip	L	R	Bi-lat	☐ Breast Ultrasound: R/L/Bilat	☐ Extremity non-vascular:
☐ Bilateral Hips & Pelvis	L	К	Di-lat	☐ Breast MRI with/without contrast	O Multiple O High Risk
Ped Pelvis				☐ Breast MRI without contrast	O <14 weeks complete (TV as needed for
☐ Pelvis only				☐ Cyst Aspiration	visualization)
☐ Pelvis w/Lateral Hip				☐ Diagnostic Mammography (symptomatic) ☐ Uni ☐ Bi-lat	O > 14 weeks complete (TV as needed for
☐ SI Joints				☐ Screening Mammography (asymptomatic)	visualization)
☐ Forearm	L	R	Bi-lat	O Uni O Bi-lat	O Follow-up EFW
☐ Wrist	L	R	Bi-lat	☐ Stereotactic Biopsy: R/L	O Umbilical Cord Doppler if indicated
☐ Hand	L	R	Bi-lat	□ US-Guided Biopsy: R/L	☐ OB Biophysical Profile
☐ Finger	L	R	Bi-lat	☐ Wire Localization: R/L	☐ OB Limited (AFI, Position, previous anatomy
Specify digit:				_ ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	not seen)
☐ Sacrum/Coccyx					☐ Infant
☐ Scoliosis					O Head O Hip O Spine O Pyloris
☐ Femur	L	R	Bi-lat		☐ Carotid Duplex Doppler
☐ Knee	L	R	Bi-lat		☐ Renal Artery Duplex
□ Tib/Fib	L	R	Bi-lat		Duplex Upper Extremity Veins: Bilat/R/L
☐ Ankle	L	R	Bi-lat	♦	□ Duplex Lower Extremity:
☐ Calcaneous (heel)	L	R	Bi-lat		Arteries/Veins/R/L/Bilat
Foot	L	R	Bi-lat		☐ Duplex Lower Extremity Varicose Veins:
☐ Toe	L	R	Bi-lat		R/L/Bilat
Specify digit:				Document Palp Abn:	☐ Duplex Doppler Vascular Other:
☐ Other:				·	
				O'clock: N+:	_

LOCATIONS

BONNEY LAKE IMAGING CENTER

21110 SR 410 E Ste 110, Bonney Lake WA 98391




PUYALLUP IMAGING CENTER

222 15th Ave SE, Puyallup WA 98372



SUNRISE IMAGING CENTER

11212 Sunrise Blvd Ste 200, Puyallup WA 98374



EXAM PREPARATIONS

BONE DENSITOMETRY (DEXA)

■ No preparation.

FLUOROSCOPY

☐ HSG: Exam must be performed within 3-5 days of the last day of your menstrual cycle; abstain from sexual intercourse starting the first day of your menstrual cycle until otherwise directed by your physician; if you think you might be pregnant, it is important that you tell us before your exam.

ULTRASOUND - US

- Abdominal Exam: Night before: Fat-free dinner; non-fat liquids permitted until 6 hours prior to exam, then nothing by mouth.
- ☐ Kidney, Renal, and Renal Artery: One hour prior to your exam: Empty your bladder; drink 16 ounces of water; do not empty your bladder.

ULTRASOUND - OB

- Less than 14 weeks: One hour prior to your exam: Empty your bladder; drink 32 ounces of water; do not empty your bladder.
- More than 14 weeks: Do not empty your bladder for 1 hour prior to your appointment.
- ☐ Pelvic and/or Trans Vaginal: One hour prior to your exam: Empty your bladder; drink 32 ounces of water; do not empty your bladder.

BREAST IMAGING

Do not wear powder, deodorant, or lotion to exam.

X-RAY

■ No preparation.

Phone: **253-841-4353**

Fax: 253-446-3973